






N.	Component	Standard material	Optional
1	Body	AISI 303	AISI 316
2	Cap	nickel-plated aluminium S11	AISI 316
3	Driving tap	AISI 303	AISI 316
4	Driving screw	AISI 304	AISI 316
5	Nut	AISI 304	AISI 316
6	Spring guide	AISI 304	AISI 316
7	Spring	AISI 302	
8	Main bush	AISI 304	AISI 316
9	Sliding ring	PTFE	
10	Upper gasket	NBR	EPDM/Viton
11	O-ring	NBR	EPDM/Viton
12	Piston	AISI 303	AISI 316
13	Lower gasket	NBR	EPDM/Viton
14	Plane gasket	polyurethane	
15	Obturator guide	AISI 303	AISI 316
16	Tap o-ring	NBR	EPDM/Viton
17	Screws	AISI 304	AISI 316
18	Screws	AISI 304	AISI 316
Spare parts: 9-10-11-13-14-16			




Threaded connections according to ISO standard, different on request.




CSA srl Strada San Giuseppe 15
43039 Salsomaggiore Terme (PR)
Tel. 0524/523978 Fax. 524031


TECHNICAL DATA SHEET
MOD. VRCD 1" F/F



N.	Component	Standard material	Optional
1	Body	AISI 304	AISI 316
2	Cap	nickel-plated aluminium S11	AISI 316
3	Driving tap	AISI 304	AISI 316
4	Driving screw	AISI 304	AISI 316
5	Nut	AISI 304	AISI 316
6	Spring guide	AISI 304	AISI 316
7	Spring	painted steel 52SiCrNi15	
8	Main bush	AISI 304	AISI 316
9	Sliding ring	PTFE	
10	Upper gasket	NBR	EPDM/Viton
11	O-ring	NBR	EPDM/Viton
12	Piston	AISI 303	AISI 316
13	Lower gasket	NBR	EPDM/Viton
14	Plane gasket	poly/urethane	
15	Obturator guide	AISI 303	AISI 316
16	Tap o-ring	NBR	EPDM/Viton
17	Screws	AISI 304	AISI 316
18	Screws	AISI 304	AISI 316
16	Tap o-ring	NBR	EPDM/Viton
17	Screws	AISI 304	AISI 316
18	Screws	AISI 304	AISI 316
Spare parts: 9-10-11-13-14-16			




Threaded connections according to ISO standard, different on request.




CSA srl Strada San Giuseppe 15
43039 Salsomaggiore Terme (PR)
Tel. 0524/523978 Fax. 524031


TECHNICAL DATA SHEET
MOD. VRCD 2" F/F



N.	Component	Standard material	Optional
1	Body	AISI 303	AISI 316
2	Cap	nickel-plated aluminium S11	AISI 316
3	Driving tap	AISI 303	AISI 316
4	Driving screw	AISI 304	AISI 316
5	Nut	AISI 304	AISI 316
6	Spring guide	AISI 304	AISI 316
7	Spring	AISI 302	
8	Main bush	AISI 304	AISI 316
9	Sliding ring	PTFE	
10	Upper gasket	NBR	EPDM/Viton
11	O-ring	NBR	EPDM/Viton
12	Piston	AISI 303	AISI 316
13	Lower gasket	NBR	EPDM/Viton
14	Plane gasket	polyurethane	
15	Obturator guide	AISI 303	AISI 316
16	Tap o-ring	NBR	EPDM/Viton
17	Screws	AISI 304	AISI 316
18	Screws	AISI 304	AISI 316
Spare parts: 9-10-11-13-14-16			



Threaded connections according to ISO standard, different on request.



CSA srl Strada San Giuseppe 15
43039 Salsomaggiore Terme (PR)
Tel. 0524/523978 Fax. 524031

TECHNICAL DATA SHEET
MOD. VRCD 1" 1/2 F/F